HD 410T

ALUMINIUM HORN SPEAKER WITH DRIVER AND TRANSFORMER



Description

The HD 410/T are compact, lightweight and watertight horn speakers. They are designed to provide high efficiency and characterized by the high intelligibility of the reproduced sound with low distortion.The built-in line transformer makes it possible to connect the horn loudspeaker to both 70 and 100 V constant voltage lines, and select the delievered power by means of a rotary dial on the rear cover

Features

› Built-in line transformer with multitap power selector on rear cover
› Hi-pass filter for protecting driver against out-of-range low-freq
› IP 66 construction for indoor-outdoor environmental temperature between -25°C to +70°C
› Aluminum flare with UV-stabilized autoextinguishing UL-HB ABS rear cover
› Colour RAL 7035

Part Number


13133041 HD 410T Grey - RAL 7035 EAN 8024530001247

Products are continually improved. All specifications are therefore subject to change without notice.

HD 410T

ALUMINIUM HORN SPEAKER WITH DRIVER AND TRANSFORMER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB)	180 Hz - 7000 Hz
	Max SPL @ 1m	130 dB
	Coverage angle	90°
	System Sensitivity	112 dB
Power section	Amplification	Full Range
	Power Handling	50 W
	Peak Power Handling	200 W PEAK
Transducers	Compression Driver	1 x 2.0''
Input/Output section	Input connectors	Cable
	Output connectors	Cable
	Constant Voltage Transformer	70/100 V
	Power selection 1	50 W - 200 ohm
	Power selection 2	30 W - 333 ohm
	Power selection 3	25 W - 400 ohm
	Power selection 4	15 W - 667 ohm
	Power selection 5	7.5 W - 1333 ohm
Standard compliance	IP protection grade	IP 66
	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Aluminum
	Hardware	Stainless steel U bracket
	Color	Grey - RAL 7035

HD 410T

ALUMINIUM HORN SPEAKER WITH DRIVER AND TRANSFORMER

Size / Weight	Depth	393 mm / 15.47 inches
	Diameter	430 mm / 16.93 inches
	Weight	3.57 kg / 7.87 lbs