HDL 26-A

ACTIVE TWO WAY LINE ARRAY MODULE



Description

The RCF HDL26-A is an ultra-compact bi-amped two-way active touring system for small and medium-sized events, both indoors and outdoors. Due to the advanced transducer design and the 2000W Class-D amplifier, among the best in its class, it is capable of an extended bottom-end and a pristine sound for a wide range of applications, alone or in RDNet managed line-array configurations.
The HDL 35-AS is the ideal flyable bass complement for the HDL 26-A array system.

Features

- 133 dB Max SPL
- 2000W Two-Way Amplifier
- Exclusive FiRPHASE technology on-board
- 750 Hz Crossover for best vocal reproduction
- RDNet Networked Management
- 3” Titanium Compression Driver
- 2 x 6” High-Powered Neodymium Woofers
- 4 PATH waveguide

Part Number


13000588	HDL 26-A	EU	90-240 V	Black	EAN 8024530016845
13000606	HDL 26-A W	EU	90-240 V	White	EAN 8024530017422
13000917	HDL 26-A	UK	240 V	Black	EAN 8024530022464
13000964	HDL 26-A	US	90-240 V	Black	EAN 8024530023447
13000965	HDL 26-A W	US	90-240 V	White	EAN 8024530023553

Products are continually improved. All specifications are therefore subject to change without notice.

HDL 26-A

ACTIVE TWO WAY LINE ARRAY MODULE

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	55 Hz - 20000 Hz
	Max SPL @ 1m	133 dB
	Horizontal coverage angle	100°
	Vertical coverage angle	10°
Transducers	Compression Driver	1 x 1.5'' neo, 3.0'' v.c
	Woofer	2 x 6.0'' neo, 2.0'' v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR, RDNet Ethercon
	Output connectors	XLR, RDNet Ethercon
	Input sensitivity	+4 dBu
Processor section	Crossover Frequencies	750
	Protections	Thermal, RMS
	Limiter	Soft Limiter
	Controls	Preset, RDNet bypass
	RDNet	Onboard
Power section	Total Power	2000 W Peak, 1000 W RMS
	High frequencies	600 W Peak, 300 W RMS
	Low frequencies	1400 W Peak, 700 W RMS
	Cooling	Convection
	Connections	Powercon IN/OUT
Standard compliance	Safety agency	CE compliant

HDL 26-A

ACTIVE TWO WAY LINE ARRAY MODULE

Physical specifications	Cabinet/Case Material	PP Composite
	Hardware	Array fittings
	Handles	2 Back
	Grille	Steel
	Color	Black, White
Size / Weight	Height	237 mm / 9.33 inches
	Width	470 mm / 18.5 inches
	Depth	377 mm / 14.84 inches
	Weight	13.5 kg / 29.76 lbs

ACCESSORIES

Rigging / Mounting

AZIMUT BRACKETS			
13360351	AZM-BR 2X	Black	EAN 8024530013516
CLAMP BRACKETS			
13360371	CL-BR HDL 6		EAN 8024530014360
FLY BARS			
13360360	FL-B HDL 6	Black	EAN 8024530014209
13360373	FL-B HDL 6	White	EAN 8024530014377
FLY BARS PICKUP			
13360372	FL-B PK HDL 6	Black	EAN 8024530014353
13360696	FLB60696	Black	EAN 8024530023027
LINK BARS			
13360375	FL-B LINK HDL 6-12 2X	Black	EAN 8024530014414
POLE MOUNT KITS			
13360377	PM-KIT 3X HDL 6	Black	EAN 8024530014629
QUICK LOCK PINS			
13360626	QL-PIN 008	Black	EAN 8024530020897
STACKING KITS			
13360728	STK60728	Black	EAN 8024530024871
SUSPENSION CHAINS			
13360129	HOIST SPACING CHAIN CH 001	Black	EAN 8024530020774

Protections

RAIN PROTECTIONS			
13360689	RPR60689	Black	EAN 8024530022914

Transportation

KART WITH WHEELS			
13360366	KRT-WH 6X HDL 6	Black	EAN 8024530014421

Cables

CABLES			
12399019	CBL ETHERCON TO XLR F 0.2M	Black	EAN 8024530013882
12399020	CBL ETHERCON TO XLR M 0.2M	Black	EAN 8024530013899
CABLES KIT			
13360102	AC XLR 3M3F		EAN 8024530006402
12399016	CBL ETHERCON 0.7M	Black	EAN 8024530013844
12399017	CBL ETHERCON 1.5M	Black	EAN 8024530013851

Cables	12399035	CBL ETHERCON 3M	Black	EAN 8024530013868
	12399018	CBL ETHERCON 5M	Black	EAN 8024530013875
	12399023	CBL LK 25 MULTIPIN 10M	Black	EAN 8024530013837
	12399022	CBL LK 25 MULTIPIN 20M	Black	EAN 8024530013820
	12399024	CBL LKS 19 ARRAY FANOUT	Black	EAN 8024530013905
	12399026	CBL LKS 19 BREAKOUT	Black	EAN 8024530013929
	12399027	CBL LKS 19 POWER 10M	Black	EAN 8024530013936
	13360146	CBL LKS 19 POWER 20M		EAN 8024530013943
	12399025	CBL LKS 19 SUB FANOUT	Black	EAN 8024530013912
	12399021	CBL LKS 25-2 FANOUT	Black	EAN 8024530013813
	13360145	CBL POWER BOX 6X	Black	EAN 8024530015534
	12399031	CBL POWERCON LINK 0.7M	Black	EAN 8024530013738
	12399030	CBL POWERCON LINK 1.5M	Black	EAN 8024530013721
	12399028	CBL POWERCON LINK 10M	Black	EAN 8024530013707
	12399029	CBL POWERCON LINK 5M	Black	EAN 8024530013714
	13360138	POWER CABLE X6 TTL 55-A		